

THE ULTIMATE SOLUTION FOR ALL RE-BAR TYING WORK

RE-BAR-TIER™ RB395

MAX

RE-BAR TYING SYSTEMS

BENEFITS

● REDUCES TYING TIME

About 5 times faster than manual tying. Make ties in less than 1 sec. per tie, with consistent tie strength. High speed tying saves you time and money.

● REDUCES RISK OF HEALTH PROBLEMS

Just pull the trigger, this simple operation reduces potential wrist damage such as carpal tunnel injuries. Using the optional extension bar reduces the risk of back injuries.



Carpal tunnel syndrome



Extension bar (Option)

Both the National Institute for Occupational Safety and Health Construction Safety Association of Ontario state the MAX Re-bar Tying Tool reduces the risk of Carpal Tunnel Syndrome and other work related musculoskeletal disorders.

● LIGHT WEIGHT & COMPACT BODY

Weighs only 5.2 lbs. Easy to handle.

● ONE HAND OPERATION

Allows worker to hold re-bar while tying, reducing set up time.

APPLICATIONS



COMMERCIAL BUILDINGS / FOUNDATIONS / ROAD CONSTRUCTION / BRIDGES
PRECAST PLANTS / RADIANT HEATING TUBES



STANDARD EQUIPMENT

- 2 Batteries
- Battery charger
- Case
- Holster
- Instructional video tape (English & Spanish)



Holster (JH300)

TIE WIRE 21 gauge. 50 coils / box

TW897-Regular Steel wire

TW897-EG: Electro Galvanized wire

TW897-PC: Polyester-Coated wire



OPTION



Extension bar (JE200)



Tool cover (JT450)

SPECIFICATIONS

| MODEL | RB395 |
|----------------------|--------------------------|
| WEIGHT | 5.2 lbs. |
| DIMENSIONS | 11-5/8" x 4" x 11-3/8" |
| TYING SPEED | Less than 1 second / tie |
| TIES PER COIL | Approx. 120 ties |
| TIES PER CHARGE | Approx. 3 coils |
| APPLICABLE BAR SIZES | #3 x #3 to #6 x #5 |
| BATTERY | JP409 (Ni-Cd) |
| VOLTAGE | DC 9.6V (2.0Ah) |
| RECHARGE TIME | Approx. 25 minutes |

The specifications and design of the products in this catalog will be subject to change without advance notice due to our continuous efforts to improve the quality of our products.

MAX

MAX USA CORP.

257 East 2nd Street Mineola, New York 11501
Phone: 800-223-4293 Fax: 516-741-3272
www.maxusacorp.com

Dealer: